ELSEVIER

Carbohydrate Research 288 (1996) C1–C2

CARBOHYDRATE RESEARCH

Author index

Apperley, D.C. 1, 15
Arai, A. 127

Beldman, G. 143, 219
Berić, O. 241
Bertoft, E. 155
Blatter, G. 109
Bock, K. 25

Chen, H. 135
Christensen, B.E. 175
Coplin, D.L. 189
Csanádi, J. 241

Domke, T. 189
Duus, J.Ø. 25

Evans, B.W. 15

Fenwick, K.M. 1
Flood, A.E. 45
Fujiwara, H. 75

Gallego, R.G. 203
Gao, Q. 135
Geider, K. 189

Ha, M.-A. 15
Haas, H. 203
Hanzawa, H. 99
Haruyama, H. 99
Hjerde, T. 175

Imberty, A. 57

Jacquinet, J.-C. 109
Jarvis, M.C. 1, 15
Jiang, R. 135
Johns, M.R. 45

Kamerling, J.P. 57, 203
Kenwright, A.M. 15
Khatuntseva, E.A. 25
Kimura, A. 233
Kováč, P. 85

Ledeboer, A.M. 57
Lei, P.-s. 85

Miljković, D. 241
Mochizuki, T. 99
Mort, A. 189

Narita, K. 75
Niessen, W.M.A. 219
Nifant'ev, N. 25
Nimtz, M. 189

Ogawa, Y. 85
Ohmori, H. 75
Oosterveld, A. 143

Pérez, S. 57
Popsavin, M. 241
Popsavin, V. 241

Robijn, G.W. 57, 203
Robyt, J.F. 233

Schols, H.A. 143
Seljelid, R. 135
Shashkov, A.S. 25
Shiozaki, M. 99
Shirokane, Y. 127
Smidsrød, O. 175
Suzuki, M. 75, 127

Takai, H. 75
Tanaka, K. 75

Uchida, R. 127

Van den Berg, D.J.C. 57, 203
Vincken, J.-P. 219
Vliegenthart, J.F.G. 57, 203
Voragen, A.G.J. 143, 219

White, E.T. 45
Wijsman, A.J.M. 219
Wray, V. 189

Zhang, Y. 189
Zhu, Q. 155

ELSEVIER

Carbohydrate Research 288 (1996) C3–C5

CARBOHYDRATE RESEARCH

Subject index

Alkali extraction
Arabinose and ferulic acid rich pectic polysaccharides extracted from sugar beet pulp 143
β-Amylase
Composition and structural analysis of alpha-dextrins from potato amylopectin 155
Amylopectin
Composition and structural analysis of alpha-dextrins from potato amylopectin 155
2,5-Anhydro sugars
Stereospecific synthesis of (−)-*allo*-muscarine from D-glucose 241
Autoclave extraction
Arabinose and ferulic acid rich pectic polysaccharides extracted from sugar beet pulp 143
Azo dyes
Visible and ^{13}C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75

Blight of corn
Structure of stewartan, the capsular exopolysaccharide from the corn pathogen *Erwinia stewartii* 189

Cell walls
Cross-polarisation kinetics and proton NMR relaxation in polymers of *Citrus* cell walls 1
Chiral synthon
Stereospecific synthesis of (−)-*allo*-muscarine from D-glucose 241
^{13}C NMR spectroscopy
Visible and ^{13}C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75
Conformations
Synthesis and structural studies of branched 2-linked trisaccharides related to blood group determinants 25
Cross-polarisation
Cross-polarisation kinetics and proton NMR relaxation in polymers of *Citrus* cell walls 1
CP-MAS NMR of highly mobile hydrated biopolymers: polysaccharides of *Allium* cell walls 15
Crystallisation
Mutarotation of D-fructose in aqueous–ethanolic solutions and its influence on crystallisation 45
Cyclomalto-oligosaccharides (cyclodextrins, CDs)
Visible and ^{13}C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75

2-Deoxy-2-trichloroacetamido-D-glucopyranose derivatives
The use of 2-deoxy-2-trichloroacetamido-D-glucopyranose derivatives in syntheses of hyaluronic acid-related tetra-, hexa-, and octasaccharides having a methyl β-D-glucopyranosiduronic acid at the reducing end 109
α-Dextrin
Composition and structural analysis of alpha-dextrins from potato amylopectin 155
Disaccharide epitope
Synthesis of four glycosides of a disaccharide fragment representing the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Inaba, bearing aglycons suitable for linking to proteins 85

Endoglucanase
Potato xyloglucan is built from XXGG-type subunits 219
Erwinia stewartii
Structure of stewartan, the capsular exopolysaccharide from the corn pathogen *Erwinia stewartii* 189
Exopolysaccharide
Predicting helical structures of the exopolysaccharide produced by *Lactobacillus sake* 0-1 57

Exopolysaccharide, structure
Structure of stewartan, the capsular exopolysaccharide from the corn pathogen *Erwinia stewartii* 189
Exopolysaccharide structure
Structural characterization of the exopolysaccharide produced by *Lactobacillus acidophilus* LMG9433 203

Ferulic acid
Arabinose and ferulic acid rich pectic polysaccharides extracted from sugar beet pulp 143
D-Fructose
Mutarotation of D-fructose in aqueous–ethanolic solutions and its influence on crystallisation 45

Galactan
CP-MAS NMR of highly mobile hydrated biopolymers: polysaccharides of *Allium* cell walls 15
Galacturonan
CP-MAS NMR of highly mobile hydrated biopolymers: polysaccharides of *Allium* cell walls 15
Gelatinized starch granules
Reaction of enzymes with starch granules: enhanced reaction of glucoamylase with gelatinized starch granules 233
Glucoamylase
Reaction of enzymes with starch granules: enhanced reaction of glucoamylase with gelatinized starch granules 233
Gluconate kinase
A novel enzymic determination of maltobionate 127

Helical structures
Predicting helical structures of the exopolysaccharide produced by *Lactobacillus sake* 0-1 57
Heteroglycans
Characterisation of acidic heteroglycans from *Tremella fuciformis* Berk with cytokine stimulating activity 135
^{1}H NMR spectroscopy
Visible and ^{13}C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75
Host–guest complex formation
Visible and ^{13}C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75
Visible and ^{13}C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75
HPSEC
Arabinose and ferulic acid rich pectic polysaccharides extracted from sugar beet pulp 143

Hyaluronic acid
The use of 2-deoxy-2-trichloroacetamido-D-glucopyranose derivatives in syntheses of hyaluronic acid-related tetra-, hexa-, and octasaccharides having a methyl β-D-glucopyranosiduronic acid at the reducing end 109

Interleukin-1 (IL-1)
Characterisation of acidic heteroglycans from *Tremella fuciformis* Berk with cytokine stimulating activity 135
Interleukin-6 (IL-6)
Characterisation of acidic heteroglycans from *Tremella fuciformis* Berk with cytokine stimulating activity 135

κ- and ι-carrageenan
The influence of the conformational state of κ- and ι-carrageenan on the rate of acid hydrolysis 175

Lactic acid bacteria
Predicting helical structures of the exopolysaccharide produced by *Lactobacillus sake* 0-1 57
Structural characterization of the exopolysaccharide produced by *Lactobacillus acidophilus* LMG9433 203
Lb. acidophilus
Structural characterization of the exopolysaccharide produced by *Lactobacillus acidophilus* LMG9433 203

Maltobionate
A novel enzymic determination of maltobionate 127
Maltobionate α-D-glucohydrolase
A novel enzymic determination of maltobionate 127
Mobility
CP-MAS NMR of highly mobile hydrated biopolymers: polysaccharides of *Allium* cell walls 15
Molecular mechanics
Predicting helical structures of the exopolysaccharide produced by *Lactobacillus sake* 0-1 57
Molecular modelling
Predicting helical structures of the exopolysaccharide produced by *Lactobacillus sake* 0-1 57
(−)-*allo*-Muscarine
Stereospecific synthesis of (−)-*allo*-muscarine from D-glucose 241
Mutarotation
Mutarotation of D-fructose in aqueous–ethanolic solutions and its influence on crystallisation 45

Neoglycoconjugate
Synthesis of four glycosides of a disaccharide fragment representing the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Inaba, bearing aglycons suitable for linking to proteins 85
NMR
Cross-polarisation kinetics and proton NMR relaxation in polymers of *Citrus* cell walls 1
NMR spectroscopy
Synthesis and structural studies of branched 2-linked trisaccharides related to blood group determinants 25

O-antigen
Synthesis of four glycosides of a disaccharide fragment representing the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Inaba, bearing aglycons suitable for linking to proteins 85
Octasaccharide
The use of 2-deoxy-2-trichloroacetamido-D-glucopyranose derivatives in syntheses of hyaluronic acid-related tetra-, hexa-, and octasaccharides having a methyl β-D-glucopyranosiduronic acid at the reducing end 109
Oligosaccharides
Synthesis and structural studies of branched 2-linked trisaccharides related to blood group determinants 25

Pectin
CP-MAS NMR of highly mobile hydrated biopolymers: polysaccharides of *Allium* cell walls 15
Arabinose and ferulic acid rich pectic polysaccharides extracted from sugar beet pulp 143
6-Phosphogluconic dehydrogenase
A novel enzymic determination of maltobionate 127
Polarisation transfer kinetics
Cross-polarisation kinetics and proton NMR relaxation in polymers of *Citrus* cell walls 1
Polysaccharide conformation
The influence of the conformational state of κ- and ι-carrageenan on the rate of acid hydrolysis 175
Polysaccharides
Cross-polarisation kinetics and proton NMR relaxation in polymers of *Citrus* cell walls 1
Potato
Composition and structural analysis of alpha-dextrins from potato amylopectin 155
Pseudomonas taetrolens
A novel enzymic determination of maltobionate 127

Rates of acid hydrolysis of polysaccharides
The influence of the conformational state of κ- and ι-carrageenan on the rate of acid hydrolysis 175

Starch
Composition and structural analysis of alpha-dextrins from potato amylopectin 155
Stereospecific synthesis
Stereospecific synthesis of (−)-*allo*-muscarine from D-glucose 241
Stewart's wilt
Structure of stewartan, the capsular exopolysaccharide from the corn pathogen *Erwinia stewartii* 189
Sugar beet
Arabinose and ferulic acid rich pectic polysaccharides extracted from sugar beet pulp 143
Synthesis
Synthesis and structural studies of branched 2-linked trisaccharides related to blood group determinants 25

Tetrahydrofuro[2,3-*d*]oxazole
Synthesis of a tetrahydropyrano[2,3-*d*]oxazole analogue of trehazolin 99
Tetrahydropyrano[2,3-*d*]oxazole
Synthesis of a tetrahydropyrano[2,3-*d*]oxazole analogue of trehazolin 99
Trehazolin
Synthesis of a tetrahydropyrano[2,3-*d*]oxazole analogue of trehazolin 99
Tremella fuciformis
Characterisation of acidic heteroglycans from *Tremella fuciformis* Berk with cytokine stimulating activity 135
Tumor necrosis factor (TNF)
Characterisation of acidic heteroglycans from *Tremella fuciformis* Berk with cytokine stimulating activity 135

UV-vis methods
Visible and ^{13}C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75

Vibrio cholerae O:1
Synthesis of four glycosides of a disaccharide fragment representing the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Inaba, bearing aglycons suitable for linking to proteins 85

Xyloglucan
Potato xyloglucan is built from XXGG-type subunits 219